

MATERIAL SAFETY DATA SHEET

SX SELF ADHESIVE FLASHING STRIP

Date: 10.11.2011

Replaces: 25.11.2010

Ref: 0219.2.C/DR

Page 1 of 3

Siroflex Limited
Dodworth Business Park
Dodworth
Barnsley
South Yorkshire
S75 3SP

Tel: 01226 771600 Fax: 01226 771601

E-Mail: info@siroflex.co.uk Web: www.siroflex.co.uk

Identification of the product

Product: SX Self Adhesive Flashing Strip. A self-adhesive waterproof barrier.

Hazard identification

This product is not especially hazardous to health but should be handled in accordance with good industrial hygiene and safety practices.

Eyes: Practically non-irritating.

Skin: The foil has sharp edges which can cut easily, otherwise product is practically non-toxic based on the information available on the components.

Ingestion: Practically non-toxic based on the information available on the components.

Composition/information on ingredients

The product is a laminate of:-

A lacquered aluminium foil.

A self adhesive rubber modified bitumen compound.

A silicone coated release interleave.

First aid measures

Inhalation: Normal use of product does not present a hazard

Skin contact: Treat cuts with antiseptic plasters, remove using a proprietary cleaner and use of soap and water.

Eye contact: Remove by irritating with copious amounts of water.

Ingestion: Seek medical advice if any discomfort persists.

Fire fighting measures

Suitable extinguishing media:	Water spray, foam, carbon dioxide or dry powder.
Unsuitable extinguishing media:	None.
Special exposure hazards in fires:	Combustion will product dense smoke and toxic gases.
Required special protective equipment for fire fighters:	Wear self-contained breathing apparatus, full protective suits.

Accidental release measures

Precautions:	Collect up and place in a suitable container.
--------------	---

Handling and storage

Handling:	Store upright in original cartons in a cool dry place.
Storage:	Avoid over- stacking of pallets.

Exposure controls

Respiratory protection:	Not normally required.
Hand protection:	The use of cotton or leather gloves and normal protective work wear is recommended.
Skin protection:	The use of proprietary barrier cream on the hands will aid removal of any product that might contaminate the hands. Observe normal standards of hygiene.

Physical and chemical properties

Appearance:	Product normally supplied as rolled up sheet material.
Flammability:	Not applicable.
Door:	
pH:	Not applicable.
Boiling point:	
/boiling point range:	Not applicable.
Melting point/:	
Melting point range:	Not applicable.
Flash point (°C)	
Autoflammability:	
Explosive properties:	
Oxidising properties:	Not applicable.
Vapour pressure:	Not applicable.
Relative density:	
Solubility (water and fat):	Insoluble in water.

Stability and reactivity

Stable under normal conditions.
Avoid acids, alkalis and nitrates.

Toxicological information

Short-term skin exposure may lead to dermatitis.
Long term skin exposure may cause irreversible effects.

Ecological information

Mobility:	Low.
Degradability:	Not really biodegradable.
Bioaccumulation:	No evidence to suggest bioaccumulation.

Disposal considerations

Product should always be disposed of in accordance with local regulations. It may be disposed of by either controlled incineration of a licensed waste disposal contractor.

Transport information

Not classified as hazardous for transport.

Regulatory information

Not classified

Other information

The data contained in this Safety Data Sheet has been supplied as required by the Chemical (Hazard Identification and Packaging) Regulations 1993, as amended, for the purpose of protecting health and safety of industrial and commercial users who are deemed capable of understanding and acting on the information provided. **Please ensure that it is passed to the appropriate person(s) in your company, who are capable of acting on the information.**