



Safety Data Sheet

according to 1907/2006/EC, Article 31

Date: 14.04.2011

Replaces: 06.05.2010

Ref: 0093.9.DB/DR

Page 1 of 6

1 Identification of the substance/preparation and of the company/undertaking

- **Product details**
- **Trade name:** SX MIRRORFIX
- **Article number:** 611S9521
- **Application of the substance / the preparation**
Adhesives
Glue/ Sizing agent
- **Manufacturer/Supplier:**
SIROFLEX LIMITED
Dodworth Business Park
Dodworth
Barnsley
South Yorkshire
S75 3SP
Tel: 01226 771600
Fax: 01226 771601
- **Further information obtainable from:**
www.siroflex.co.uk
info@siroflex.co.uk
- **Information in case of emergency:**
info@siroflex.co.uk
Tel.: 01226 771600

2 Hazards identification

- **Hazard description:**



Xi Irritant
F Highly flammable

- **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 11 Highly flammable.

R 38 Irritating to skin.

R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R 67 Vapours may cause drowsiness and dizziness.

- **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

3 Composition/information on ingredients

- **Chemical characterization**

- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 92045-53-9 EINECS: 295-434-2	Naphtha (petroleum), hydrodesulfurized light dearomatized Xn, Xi, F, N; R 11-38-51/53-65-67	10-30%
CAS: 64742-49-0 EINECS: 265-151-9	Naphtha (petroleum), hydrotreated light Xn, Xi, F, N; R 11-38-51/53-65-67	5-10%
CAS: 67-64-1 EINECS: 200-662-2	acetone Xi, F; R 11-36-66-67	1-5%

(Contd. on page 2)



Safety Data Sheet according to 1907/2006/EC, Article 31

Date: 14.04.2011

Replaces: 06.05.2010

Ref: 0093.9.DB/DR

Page 2 of 6

Trade name: SX MIRRORFIX

(Contd. of page 1)

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**
If skin irritation continues, consult a doctor.
Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.

5 Fire-fighting measures

- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

- **Person-related safety precautions:** Wear protective equipment. Keep unprotected persons away.
- **Measures for environmental protection:**
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **Measures for cleaning/collecting:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Pick up mechanically.
Ensure adequate ventilation.
- **Additional information:** See Section 8 for information on personal protection equipment.

7 Handling and storage

- **Handling:**
- **Information for safe handling:** Use only in well ventilated areas.
- **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

(Contd. on page 3)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Date: 14.04.2011

Replaces: 06.05.2010

Ref: 0093.9.DB/DR

Page 3 of 6

Trade name: SX MIRRORFIX

(Contd. of page 2)

· Ingredients with limit values that require monitoring at the workplace:**67-64-1 acetone (1-5%)**

WEL	Short-term value: 3620 mg/m ³ , 1500 ppm Long-term value: 1210 mg/m ³ , 500 ppm
-----	--

· **Additional information:** The lists valid during the making were used as basis.

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Use suitable respiratory protective device in case of insufficient ventilation.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **General Information**

Form:	Pasty
Colour:	Beige
Odour:	Characteristic


· **Change in condition**

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 56°C

· **Flash point:** < 0°C

(Contd. on page 4)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Date: 14.04.2011

Replaces: 06.05.2010

Ref: 0093.9.DB/DR

Page 4 of 6

Trade name: SX MIRRORFIX

(Contd. of page 3)

· Ignition temperature:	Undetermined.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits:	
Lower:	0.6 Vol %
Upper:	13 Vol %
· Vapour pressure:	Undetermined.
· Density at 20°C:	1.14 g/cm ³
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.
· pH-value:	Undetermined.
· Solvent content:	
VOC (EC)	26.20 %
VOC (EC)	298.7 g/l

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Materials to be avoided:**
- **Dangerous reactions**
Reacts with strong oxidizing agents.
Reacts with strong acids.
- **Dangerous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Irritant

12 Ecological information

- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**
Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.

(Contd. on page 5)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Date: 14.04.2011

Replaces: 06.05.2010

Ref: 0093.9.DB/DR

Page 5 of 6

Trade name: SX MIRRORFIX

Harmful to aquatic organisms

(Contd. of page 4)

13 Disposal considerations

- **Product:**

- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

08 04 09	waste adhesives and sealants containing organic solvents or other dangerous substances
----------	--

- **Uncleaned packaging:**

- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **Land transport ADR/RID (cross-border)**



- **ADR/RID class:** 3 Flammable liquids.
- **Danger code (Kemler):** 33
- **UN-Number:** 1133
- **Packaging group:** II
- **Hazard label:** 3
- **Description of goods:** 1133 ADHESIVES
- **Limited quantities (LQ)** LQ4

- **Maritime transport IMDG:**



- **IMDG Class:** 3
- **UN Number:** 1133
- **Label:** 3
- **Packaging group:** II
- **EMS Number:** F-E,S-E
- **Proper shipping name:** ADHESIVES

- **Air transport ICAO-TI and IATA-DGR:**



- **ICAO/IATA Class:** 3
- **UN/ID Number:** 1133
- **Label:** 3
- **Packaging group:** II
- **Proper shipping name:** ADHESIVES

GB

(Contd. on page 6)



Safety Data Sheet according to 1907/2006/EC, Article 31

Date: 14. 04.2011

Replaces: 06.05.2010

Ref: 0093.9.DB/DR

Page 6 of 6

Trade name: SX MIRRORFIX

(Contd. of page 5)

15 Regulatory information

· **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· **Code letter and hazard designation of product:**



Xi Irritant
F Highly flammable

· **Risk phrases:**

- 11 Highly flammable.
- 38 Irritating to skin.
- 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- 67 Vapours may cause drowsiness and dizziness.

· **Safety phrases:**

- 2 Keep out of the reach of children.
- 16 Keep away from sources of ignition - No smoking.
- 23 Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
- 46 If swallowed, seek medical advice immediately and show this container or label.
- 56 Dispose of this material and its container to hazardous or special waste collection point.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant R-phrases**

- 11 Highly flammable.
- 36 Irritating to eyes.
- 38 Irritating to skin.
- 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- 65 Harmful: may cause lung damage if swallowed.
- 66 Repeated exposure may cause skin dryness or cracking.
- 67 Vapours may cause drowsiness and dizziness.

· **Department issuing MSDS:** Product safety department.

· **Contact:** Mr. C.J.A. Timmermans

· *** Data compared to the previous version altered.**