

# TECHNICAL DATA SHEET

## SX PU FOAM CLEANER

A unique multi functional cleaner that is designed to digest and remove uncured PU foam.

### USES

For easy removal of uncured PU Foam from the majority of gun grade PU foam applicators. The unique designed plastic moulding is an “all-in-one” component that includes a threaded collar with integral sealing valve and gasket. These features ensure that the PU foam cleaner is compatible with the majority of PU applicators. Also incorporated into the component is a removable red aerosol actuator button, with a clear short plastic tube. This tube dispenses fine accurate jets of cleaner direct to confined areas.

**PACKAGING:** 500ml aerosol packed 1 x 12

### PREPARATION

Always connect/disconnect PU foam cleaner to the applicators with the canister in the upright position and at arms length. This will avoid accidentally activating the pressurised container.

### APPLICATION

#### GUN APPLICATOR

Remove the clear transit cap and red actuator button. Place the applicator gun upside down, screw the upright canister on to the inverted gun. Do not over-tighten. This will break the integral sealing valve. Always operate the canister upside down and at arms length, with the gun pointing away from the body. Press the trigger to push the solvent through the gun. Flush for at least 5 seconds and ensure the gun outlet tip is thoroughly cleaned. Place the canister upright, unscrew the canister whilst pressing the trigger. This ensures there is no build up of aerosol when disconnecting the gun applicator from the canister.

#### AEROSOL SPRAY

With the aerosol canister in the upright position, remove the clear transit cap. Ensure the red activator button is securely in place inside the black sealing valve. Hold the can inverted and push down onto the red actuator button to activate the aerosol. Direct the spray only onto the areas that require cleaning. Replace the clear transit cap.

## **SX PU FOAM CLEANER TECHNICAL DATA SHEET CONTINUED**

### **FINISHING**

Collect all waste material into a suitable container and dispose in a safe manner. Do not attempt to clean applicators that are blocked with cured PU foam.

### **HEALTH & SAFETY**

**IRRITANT    EXTREMELY FLAMMABLE**

Pressurised container. Protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not spray on to a naked flame or any incandescent material. Keep away from sources of ignition – No smoking. Keep out of the reach of children. In use, may form flammable/explosive vapour-air mixture. Do not breathe spray. Use only in well ventilated areas. Irritating to eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Vapours may cause drowsiness and dizziness. Dispose of this material and container to hazardous or special waste collection point. Before disposal empty aerosol can completely.

### **LIMITATIONS**

When using this product due care and attention must be observed prior to and during use. Designated for use of the majority of PU foam applicators. User to ensure the item to be cleaned is compatible with this product. It is the users responsibility to determine suitability.

### **STORAGE**

Store upright in cool dry conditions. Shelf life 12 months

### **LIABILITY**

The information given is the result of our tests and experience and is believed to be accurate and reliable. However, as Siroflex Limited cannot know all the uses its products may be put to, it is the user's responsibility to determine suitability of us.

For full health and safety data information please contact our technical department by telephone or email to [technical@siroflex.co.uk](mailto:technical@siroflex.co.uk).

Issue3/0109.3.A.DR/13.04.2006